

GSH Güteschutzgemeinschaft Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

**Thermal Insulation Boards
made of expanded Polystyrene
ISOFLOOR EPS 150 035
ISOFLOOR EPS 150 PLUS 035
ISOFLOOR EPS 200 034
ISOFLOOR EPS 200 PLUS 034**

with the designation code
described in Annex 1 (following page)

from the manufacturer

**RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE**

based on the
Product Type Determination (former ITT)
and the continuous surveillance and evaluation of the
Factory Production Control (FPC)
comply with the requirements of
EN 13163:2012+A1:2015.

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.10.2021**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.


02.11.2020/ 15 12 050-R3.e


Manager of the Certification Body
Corth Siegfried

31 Okt. 2022
prolonged until:



prolonged until: **31 Okt. 2023**





Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu

GSH Güteschutzgemeinschaft Hartschaum e.V.

Annex 1 of Attestation nr. 15 12 050-R3.e

Product description

ISOFLOOR EPS 150 035

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – BS200 – CS(10)150
Reaction to fire: Euroclass E
Declared Values of Thermal Conductivity 0,035 W/(m·K)

ISOFLOOR EPS 150 PLUS 035 (with HIPS foil)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – BS200 – CS(10)150
Reaction to fire: Euroclass F
Declared Values of Thermal Conductivity 0,035 W/(m·K)

ISOFLOOR EPS 200 034

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – BS250 – CS(10)200
Reaction to fire: Euroclass E
Declared Values of Thermal Conductivity 0,034 W/(m·K)

ISOFLOOR EPS 200 PLUS 034 (with HIPS foil)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – BS250 – CS(10)200
Reaction to fire: Euroclass F
Declared Value of Thermal Conductivity 0,034 W/(m·K)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.10.2021**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

02.11.2020 / 15 12 050-R3.e


Manager of the Certification Body
Corth Siegfried

prolonged until: **31 Okt. 2022**



prolonged until: **31 Okt. 2023**



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: UG 049



Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu