

**GSH**  
**Güteschutzgemeinschaft**  
**Hartschaum e.V.**

**CERTIFICATE OF CONFORMITY**

on the basis of EN 13172, Annex A

We herewith confirm that the building product

**Thermal insulating board**  
**made of expanded Polystyrene**

**NEOCOAT PLUS EPS 80 THP 030 LD**

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS125 – CS(10)80 – TR150

Euroclass E, declared thermal conductivity,  $\lambda_D = 0,030 \text{ W/(m}\cdot\text{K)}$

$W_{ip} \leq 0,5 \text{ kg/m}^2$ ,  $f_{tk} \geq 0,02 \text{ N/mm}^2$ ,  $G_m \geq 1,0 \text{ N/mm}^2$

(This specification covers the requirements for an EPS product applied in an ETICS,  
and EN 13499)

from the manufacturer

**G. K. RIZAKOS SA**  
**Lamia Industrial Estate**  
**Lamia 35100, Greece**

correspond to the technical specification of

**EN 13163:2012+A1:2015**

This certificate is based on an  
**initial inspection, continuous surveillance,**  
assessment and evaluation of the **Factory Production Control (FPC)** and  
**audit-testing of samples** taken before placing the product on the market  
according to table A.1 of EN 13172 Annex A.

This certificate of conformity is valid until **31.01.2023**. The validity can be prolonged by seal of the  
GSH and signature of the manager of the certification body.

10.02.2022 / 19 11 824-R2

Manager of the Certification Body  
Corth Siegfried

Prolonged until:

Prolonged until:



Schildenstraße 24  
D-29221 Celle  
Notified Body 0919  
ÜZ: UG 049



Tel +49 (0)5141-88 92 65  
Fax +49 (0)5141-88 92 67  
www.gsh.eu  
info@gsh.eu